

71488.sequence.txt
SEQUENCE LISTING

<110> Aston University

<120> Methods of Producing DNA and Protein Libraries

<130> W071488PPC

<140> PCT/GB 03/002573

<141> 2003-06-13

<150> GB0213816.2

<151> 2002-06-14

<160> 13

<170> PatentIn version 3.1

<210> 1

<211> 52

<212> DNA

<213> Artificial sequence

<220>

<223> consensus zinc finger gene fragment

<220>

<221> misc_feature

<222> (16)..(18)

<223> n=site of randomisation

<220>

<221> misc_feature

<222> (25)..(27)

<223> n=site of randomisation

<220>

<221> misc_feature

<222> (34)..(36)

<223> n=site of randomisation

<400> 1

ctgacttcga aatcannntc gctgnnnaat gttnnngtag tcgcatgctg ca

52

<210> 2

<211> 15

<212> DNA

<213> Artificial sequence

<220>

<223> PCR primer

<400> 2

gactgaagct ttagt

15

<210> 3

<211> 16

<212> DNA

<213> Artificial Sequence

<220>

<223> PCR primer

<400> 3

gtcgctggtc tactac

16

<210> 4

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> partial complementary sequence to SEQ ID 1

<220>

<221> misc_feature

<222> (16)..(18)

<223> nnn represents MAX codon (optimum codon usage for each amino acid in E. coli)

<400> 4

gactgaagct ttagtnnn

18

<210> 5

<211> 32

<212> DNA

<213> Artificial Sequence

<220>

<223> complementary sequence to SEQ ID 3 and SEQ ID 6 (partially)

<400> 5

catcagcgta cgacgtcagc gaccagatga tg

32

<210> 6

<211> 42

<212> DNA

<213> Artificial Sequence

<220>

<223> consensus zinc finger gene fragment

<220>

<221> misc_feature

<222> (6)..(8)

<223> n=site of randomisation

71488.sequence.txt

<220>

<221> misc_feature

<222> (15)..(17)

<223> n=site of randomisation

<220>

<221> misc_feature

<222> (24)..(26)

<223> n=site of randomisation

<400> 6

aatcanntc gctgnnaat gttnnngtag tcgcatgctg ca .

42

<210> 7

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<223> PCR primer

<400> 7

atgaccatga ttacg

15

<210> 8

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> complementary sequence to SEQ ID 7 and SEQ ID 1 (partially)

<400> 8

atgaccatga ttacgctatg ccatgactga

30

<210> 9

71488.sequence.txt

<211> 12

<212> DNA

<213> Artificial Sequence

<220>

<223> partial complementary sequence to SEQ ID 1

<220>

<221> misc_feature

<222> (10)..(12)

<223> nnn represents MAX codon (optimum codon usage for each amino acid in E. coli)

<400> 9

agctttagtn nn

12

<210> 10

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<223> PCR primer

<400> 10

acttgagact gaagc

15

<210> 11

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<223> PCR primer

<400> 11

gcatgctaga ctgcc

15

<210> 12

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> complementary sequence to SEQ ID 11 and SEQ ID 13 (partially)

<400> 12

catcagcgtg c

21

<210> 13

<211> 39

<212> DNA

<213> Artificial Sequence

<220>

<223> consensus zinc finger gene fragment

<220>

<221> misc_feature

<222> (13)..(15)

<223> n=site of randomisation

<220>

<221> misc_feature

<222> (22)..(24)

<223> n=site of randomisation

<220>

<221> misc_feature

<222> (31)..(34)

<223> n=site of randomisation

<400> 13

acttcgaaat canntcgct gnnnaatggt nnngtagtc

39